

MATERIAL SAFETY DATA SHEET

POWER-KLEEN 6000

Section I

A-ONE CHEMICALS & EQUIPMENT, INC.

2902 East X Street
Deer Park, Texas 77536
Toll Free 877-644-1492

Emergency Telephone Number
(713) 644-1492

Telephone Number for Information
(713) 644-1492

Date Prepared
12/07/12

Section II — Hazardous Ingredients/Identity Information

Hazardous Components

(Specific Chemical Identity: Common Name(s))

OSHA PEL

ACGIH TLV

Other Limits
Recommended

% (optional)

None under 29 CFR 19110.1200

Section III — Physical/Chemical Characteristics

Boiling Point	>212 F	Specific Gravity (H ₂ O = 1)	1.045
Vapor Pressure (mm Hg.)	<0.1	Melting Point	LIQUID
Vapor Density (AIR = 1)	>5	Evaporation Rate (Butyl Acetate = 1)	>5
pH	7.5	Flash Point	None

Solubility in Water: Completely, 100% Soluble in water

Appearance and Odor: Orange w/ a Citrus odor

Section IV — Fire and Explosion Hazard Data

Flash Point (Method Used)	Flammable Limits	LEL	UEL
---------------------------	------------------	-----	-----

Precautions to Be Taken in Handling and Storing

Keep container closed. Handle and open container with care. Store in a cool, well vented location.
Storage: 70 F minimum and 125 F maximum temperature.

Other Precautions

None

Section VIII — Control Measures

Respiratory Protection (Specify Type)

Ventilation	Local Exhaust Recommended	Special
	Mechanical (General) Recommended	Other

Protective Gloves: Nitrile/Neoprene

Eye Protection : Safety glasses with side shields or chemical goggles

Other Protective Clothing or Equipment: None

Work/Hygiene Practices: Avoid contact with eyes, skin, and clothing.